# WASTE MANAGEMENT

Volume 21, Number 1 2001

CONTENTS


| | | |
|---|---|---|
| **P. Pisciella, S. Crisucci, A. Karamanov, M. Pelino** | 1 | Chemical durability of glasses obtained by vitrification of industrial wastes |
| **M. Vondruska, V. Bednarik, M. Sild** | 11 | Stabilization/solidification of waste ferrous sulphate from titanium dioxide production by fluidized bed combustion product |
| **R. Cenni, B. Janisch, H. Spliethoff, K.R.G. Hein** | 17 | Legislative and environmental issues on the use of ash from coal and municipal sewage sludge co-firing as construction material |
| **C. Solisio, A. Lodi, M.D. Borghi** | 33 | Treatment of effluent containing micropollutants by means of activated carbon |
| **M.Y. Ghaly, G. Härtel, R. Mayer, R. Haseneder** | 41 | Photochemical oxidation of *p*-chlorophenol by UV/$H_2O_2$ and photo-Fenton process. A comparative study |
| **K.R. Cliffe, S. Patumsawad** | 49 | Co-combustion of waste from olive oil production with coal in a fluidised bed |
| **M. Kato, K. Urano** | 55 | Convenient substitute indices to toxic equivalent quantity for controlling and monitoring dioxins in stack gas from waste incineration facilities |
| **M. Kato, K. Urano** | 63 | A measuring method of chlorobenzenes as a convenient substitute index of dioxins in stack gas from waste incineration facilities |
| **S. Goñi, A. Guerrero, M.S. Hernández** | 69 | Spanish LLW and MLW disposal: durability of cemented materials in (Na, K)Cl simulated radioactive liquid waste |
| **Z. Bajza, V. Vrček** | 79 | Thermal and enzymatic recovering of proteins from untanned leather waste |
| **K.-S. Wang, C.-J. Sun, C.-Y. Liu** | 85 | Effects of the type of sintering atmosphere on the chromium leachability of thermal-treated municipal solid waste incinerator fly ash |
| *Technical notes* | | |
| **M.-S. Wei, K.-H. Huang** | 93 | Recycling and reuse of industrial wastes in Taiwan |
| **N. Deveci, G. Çiftçi** | 99 | A mathematical model for the anaerobic treatment of Baker's yeast effluents |
| **R. Sivaraj, C. Namasivayam, K. Kadirvelu** | 105 | Orange peel as an adsorbent in the removal of Acid violet 17 (acid dye) from aqueous solutions |
| | 111 | Patents Alert |

Volume 21, Number 2 2001

**SPECIAL ISSUE—ECOLOGICAL MANAGEMENT OF POST-MINING AREAS**

CONTENTS


| | | |
|---|---|---|
| **R.F. Huettl, A.D. Bradshaw** | vii | Editorial |
| | | *Original contributions* |
| **W. Berger, F.D. Börner, H. Petzold** | 117 | Consecutive geoelectric measurements reveal the downward movement of an oxidation zone |
| **G. Grützmacher, R. Hindel, W. Kantor, R. Wimmer** | 127 | Chemical investigations of aquifers affected by pyrite oxidation in the Bitterfeld lignite district |
| **A. Schippers, P.-G. Jozsa, Z.M. Kovacs, M. Jelea, W. Sand** | 139 | Large-scale experiments for microbiological evaluation of measures for safeguarding sulfidic mine waste |
| **V. Kuráž** | 147 | Soil properties and water regime of reclaimed surface dumps in the North Bohemian brown-coal region a field study |
| **P. Nestler, R.D. Stoll** | 153 | Stabilisation of bank slopes that are prone to liquefaction in ecologically sensitive areas |
| **M. Lersow** | 161 | Deep soil compaction as a method of ground improvement and to stabilization of wastes and slopes with danger of liquefaction, determining the modulus of deformation and shear strength parameters of loose rock |
| **R. Gatzweiler, S. Jahn, G. Neubert, M.P. Paul** | 175 | Cover design for radioactive and AMD-producing mine waste in the Ronneburg area, Eastern Thuringia |
| **K.A. Morin, N.M. Hutt** | 185 | Relocation of net-acid-generating waste to improve post-mining water chemistry |
| **M. Kalin** | 191 | Biogeochemical and ecological considerations in designing wetland treatment systems in post-mining landscapes |
| **F. Glombitza** | 197 | Treatment of acid lignite mine flooding water by means of microbial sulfate reduction |
| | 205 | Patents Alert |


Volume 21, Number 3 2001

**SPECIAL ISSUE—WASCON 2000: SCIENCE AND ENGINEERING OF RECYCLING FOR ENVIRONMENTAL PROTECTION**

CONTENTS


| | | |
|---|---|---|
| **G.R. Woolley, P.J. Wainwright, J.J.J.M. Goumans** | 211 | Editorial |
| | | *Original contributions* |
| **V.M. John, S.E. Zordan** | 213 | Research development methodology for recycling residues as building materials a proposal |

| | | |
|---|---|---|
| **H.A. van der Sloot, D. Hoede, D.J.F. Cresswell, J.R. Barton** | 221 | Leaching behaviour of synthetic aggregates |
| **G. Pecqueur, C. Crignon, B. Quénée** | 229 | Behaviour of cement-treated MSWI bottom ash |
| **M. Arm** | 235 | Self-cementing properties of crushed demolished concrete in unbound layers: results from triaxial tests and field tests |
| **P.J. Wainwright, D.J.F. Cresswell** | 241 | Synthetic aggregates from combustion ashes using an innovative rotary kiln |
| **E. Mulder, J.P. Brouwer, J. Blaakmeer, J.W. Frénay** | 247 | Immobilisation of PAH in waste materials |
| **B.B. Lind, A.-M. Fällman, L.B. Larsson** | 255 | Environmental impact of ferrochrome slag in road construction |
| **D. Deakin, L.J. West, D.I. Stewart, B.W.D. Yardley** | 265 | Leaching behaviour of a chromium smelter waste heap |
| **U.-M. Mroueh, P. Eskola, J. Laine-Ylijoki** | 271 | Life-cycle impacts of the use of industrial by-products in road and earth construction |
| **R.J. van Eijk, H.J.H. Brouwers** | 279 | Modelling the effects of waste components on cement hydration |
| **H. Motz, J. Geiseler** | 285 | Products of steel slags an opportunity to save natural resources |
| **R.T. Eikelboom, E. Ruwiel, J.J.J.M. Goumans** | 295 | The building materials decree: an example of a Dutch regulation based on the potential impact of materials on the environment |
| | 303 | Patents Alert |


Volume 21, Number 4 2001

CONTENTS


| | | |
|---|---|---|
| **P.F. Hudak** | 309 | Effective contaminant detection networks in uncertain groundwater flow fields |
| **N. Alba, E. Vázquez, S. Gassó, J.M. Baldasano** | 313 | Stabilization/solidification of MSW incineration residues from facilities with different air pollution control systems. Durability of matrices versus carbonation |
| **J.Y. Kim, C.L. Kim, C.H. Chung** | 325 | Leaching characteristics of paraffin waste forms generated from Korean nuclear power plants |
| **Z. Wang, R.C. Moore, A.R. Felmy, M.J. Mason, R.K. Kukkadapu** | 335 | A study of the corrosion products of mild steel in high ionic strength brines |
| **H. Rho, H.A. Arafat, B. Kountz, R.C. Buchanan, N.G. Pinto, P.L. Bishop** | 343 | Decomposition of hazardous organic materials in the solidification/stabilization process using catalytic-activated carbon |
| **G. Rodriguez, A.V. Karpov, Y.P. Nalimov** | 357 | Description and identification of difficulties arising from the application of a cleaning process in operating conditions for the treatment of components used on liquid metal fast reactors (LMFR). A technical designed approach to avoid these situations |

| | | |
|---|---|---|
| **J. Jung, J.K. Lee, P.S. Hahn** | 363 | Development and application of a sorption data base for the performance assessment of a radwaste repository |
| **H. Kanbe, M. Shibuya** | 371 | Solvent cleaning of pole transformers containing PCB contaminated insulating oil |
| **C. Namasivayam, R. Radhika, S. Suba** | 381 | Uptake of dyes by a promising locally available agricultural solid waste: coir pith |
| **P.S. Phillips, R.M. Pratt, K. Pike** | 389 | An analysis of UK waste minimization clubs: key requirements for future cost effective developments |
| **D.C.R. Espinosa, J.A.S. Tenório** | 405 | Thermal behavior of chromium electroplating sludge |
| | 411 | Patents Alert |


Volume 21, Numbers 5 2001

**SPECIAL ISSUE—INTERNATIONAL CONFERENCE ON INCINERATION AND THERMAL TREATMENT TECHNOLOGIES**

CONTENTS


| | | |
|---|---|---|
| **A. Eicher** | 417 | Editorial |
| | | *Original contributions* |
| **P.M. Lemieux, C.W. Lee, J.V. Ryan, C.C. Lutes** | 419 | Bench-scale studies on the simultaneous formation of PCBs and PCDD/Fs from combustion systems |
| **G.-Q. Liu, Y. Itaya, R. Yamazaki, S. Mori, M. Yamaguchi, M. Kondoh** | 427 | Fundamental study of the behavior of chlorine during the combustion of single RDF |
| **T.C. Ho, T.C. Chuang, S. Chelluri, Y. Lee, J.R. Hopper** | 435 | Simultaneous capture of metal, sulfur and chlorine by sorbents during fluidized bed incineration |
| **K. Nishida, Y. Nagayoshi, H. Ota, H. Nagasawa** | 443 | Melting and stone production using MSW incinerated ash |
| **A. Ono, M. Kurita, T. Nagashima, M. Horio** | 451 | Evaluation of waste pyrolysis characteristics in a pressurized fluidized bed reactor |
| **M. Stoll, J. Furrer, H. Seifert, G. Schaub, D. Unruh** | 457 | Effects of flue gas composition on the catalytic destruction of chlorinated aromatic compounds with a V-oxide catalyst |
| **C.E. Riley** | 465 | Method development and implementation for co-planar polychlorinated biphenyls (PCBs) |
| **G.D. Hinshaw, A.R. Trenholm** | 471 | Hazardous waste incineration emissions in perspective |
| **E.T. Wada, A.M. Sterling** | 477 | Development and evaluation of a mass spectrometer-based continuous emission monitor for volatile organic compound emmissions from combustion devices |
| | 483 | Patents Alert |

Volume 21 Number 6 2001

CONTENTS


| | | |
|---|---|---|
| **C. Lu, M.-R. Lin, J. Lin** | 489 | Treatment of methylacetate waste gas using a trickle-bed air biofilter |
| **C.-P. Jen, S.-H. Li** | 499 | Effects of hydrodynamic chromatography on colloid-facilitated migration of radionuclides in the fractured rock |
| **E. Wieland, P. Spieler** | 511 | Colloids in the mortar backfill of a cementitious repository for radioactive waste |
| **L.Y. Li** | 525 | A study of iron mineral transformation to reduce red mud tailings |
| **A. Pinotti, N. Zaritzky** | 535 | Effect of aluminum sulfate and cationic polyelectrolytes on the destabilization of emulsified wastes |
| **A. Katz, A.R. Brough, R.J. Kirkpatrick, L.J. Struble, G.K. Sun, J.F. Young** | 543 | Cement solidification of simulated off-gas condensates from vitrification of low-level nuclear waste solutions |
| **M.A. Sørensen, E.P.B. Mogensen, K. Lundtorp, D.L. Jensen, T.H. Christensen** | 555 | High temperature co-treatment of bottom ash and stabilized fly ashes from waste incineration |
| **R. Saravanane, D.V.S. Murthy, K. Krishnaiah** | 563 | Treatment of anti-osmotic drug based pharmaceutical effluent in an upflow anaerobic fluidized bed system |
| **S.-H. Li, C.-P. Jen** | 569 | Migration of radionuclides in porous rock in the presence of colloids: effects of kinetic interactions |
| **R.R. Brey, R. Rodriguez, J.F. Harmon, P. Winston** | 581 | Investigation of irradiated soil byproducts |


Volume 21, Number 7 2001

CONTENTS


| | | |
|---|---|---|
| **A. Rodriguez, M.J. Hall** | 589 | Removal of an airborne low volatility metal under fuel-rich and fuel lean conditions through condensation onto soot and/or sorbent particles |
| **S. Kim** | 609 | Pyrolysis kinetics of waste PVC pipe |
| **A.D. Read, M. Hudgins, P. Phillips** | 617 | Perpetual landfilling through aeration of the waste mass; lessons from test cells in Georgia (USA) |
| **N. Ortiz, M.A.F. Pires, J.C. Bressiani** | 631 | Use of steel converter slag as nickel adsorber to wastewater treatment |
| **J.A.S. Tenório, D.C.R. Espinosa** | 637 | Treatment of chromium plating process effluents with ion exchange resins |
| **T.H. Ergüder, U. Tezel, E. Güven, G.N. Demirer** | 643 | Anaerobic biotransformation and methane generation potential of cheese whey in batch and UASB reactors |

| | | |
|---|---|---|
| **R. Cioffi, L. Maffucci, L. Santoro, F.P. Glasser** | 651 | Stabilization of chloro-organics using organophilic bentonite in a cement-blast furnace slag matrix |
| **C. Raposo, H.M. Roeser** | 661 | Contamination of the environment by the current disposal methods of mercury-containing lamps in the state of Minas Gerais, Brazil |
| | | *Technical note* |
| **M.I. Panayotova** | 671 | Kinetics and thermodynamics of copper ions removal from wastewater by use of zeolite |
| | 677 | Patents Alert |


Volume 21, Numbers 8 2001

CONTENTS


| | | |
|---|---|---|
| **P. Van Herck, C. Vandecasteele** | 685 | Evaluation of the use of a sequential extraction procedure for the characterization and treatment of metal containing solid waste |
| **Z. Aksu, J. Yener** | 695 | A comparative adsorption/biosorption study of mono-chlorinated phenols onto various sorbents |
| **Y.-C. Jang, T.G. Townsend** | 703 | Occurrence of organic pollutants in recovered soil fines from construction and demolition waste |
| **U. Tezel, E. Guven, T.H. Erguder, G.N. Demirer** | 717 | Sequential (anaerobic/aerobic) biological treatment of Dalaman SEKA Pulp and Paper Industry effluent |
| **Z. Abbas, B.-M. Steenari, O. Lindqvist** | 725 | A study of Cr(VI) in ashes from fluidized bed combustion of municipal solid waste: leaching, secondary reactions and the applicability of some speciation methods |
| **B. Kienzler, B. Luckscheiter, S. Wilhelm** | 741 | Waste form corrosion modeling: comparison with experimental results |
| **H.A. van der Sloot, D.S. Kosson, O. Hjelmar** | 753 | Characteristics, treatment and utilization of residues from municipal waste incineration |
| | | *Technical note* |
| **L.K. Pan, B.D. Chang, D.S. Chou** | 767 | Optimization for solidification of low-level-radioactive resin using Taguchi analysis |
| | 773 | Book reviews |
| | 777 | Patents Alert |
| | 783 | Announcement |
| | I | List of Contents and Author Index, Volume 21, 2001 |